



## Occasional Tables



### CHIPPENDALE LEG OCCASIONAL TABLES

The Chippendale series of occasional tables is available in a number of different shapes and sizes. All tables feature a traditional routed solid wood edge, apron, and legs. Tops are high pressure laminate top surfaces. End Tables are available in any of our standard wood finishes.

#### ITEM #

SPFTLE12

SPFTLC13

SPFTLS14

#### DESCRIPTION

CHIPPENDALE END TABLE, 22"W x 26"D x 22"H

CHIPPENDALE COFFEE TABLE, 42"W x 22"D x 17"H

CHIPPENDALE SOFA TABLE, 50"W x 16"D x 29"H

# Tables

## Occasional Tables



### SHAKER OCCASIONAL TABLES

The Shaker series of occasional tables is available in a number of different shapes and sizes. All tables feature a traditional routed solid wood edge, apron, and legs. Tops are high pressure laminate top surfaces. End Tables are available in any of our standard wood finishes.

#### ITEM #

SPF8150-14  
SPF8150-13  
SPF8150-15

#### DESCRIPTION

SHAKER END TABLE, 22" w x 26" d x 22" h  
SHAKER COFFEE TABLE, 42" w x 22" d x 17" h  
SHAKER SOFA TABLE, 50" w x 16" d x 28 1/4" h

# Tables



## Occasional Tables



### QUEEN ANNE LEG OCCASIONAL TABLES

The Queen Anne series of occasional tables is available in a number of different shapes and sizes. All tables feature a traditional routed solid wood edge, apron, and legs. Tops are high pressure laminate top surfaces. End Tables are available in any of our standard wood finishes.

#### ITEM #

SPFOEQ2  
SPFOC05  
SPFTS04

#### DESCRIPTION

QUEEN ANNE END TABLE, OVAL, 22"W x 26"D x 22"H  
QUEEN ANNE COFFEE TABLE, OVAL, 42"W x 22"D x 17"H  
QUEEN ANNE SOFA TABLE, 50"W x 16"D x 29"H

# Tables

## Pedestal Bases



### #100 METAL PEDESTAL TABLE BASE

The #100 metal pedestal base features 14 gauge tubular steel, adjustable glides, bullet shape end caps and a top mounting plate. Standard height is 28" but custom heights are available if specified. Available in any of our standard epoxy colours or in a polished chrome finish (upcharge). Base spreads are 23" (24" square top or 30" or smaller round top), 28" (30" to 36" square or round tops), 32" (38" to 42" square or round tops) and 36" (44" to 48" square or round top).



### #102 METAL PEDESTAL TABLE BASE

The #102 metal pedestal base (2/set) features 14 gauge tubular steel, adjustable glides, bullet shape end caps and a top mounting plate. Standard height is 28" but custom heights are available if specified. Available in any of our standard epoxy colours or in a polished chrome finish (upcharge). Leg spread is 28" and set of two can be used on top 30" to 36" wide and up to 96" long.



### #108 METAL ADJ HEIGHT PEDESTAL TABLE BASE

The #108 metal pedestal base features 14 gauge tubular steel, adjustable glides, bullet shape end caps and a top mounting plate. Height adjusts in 1" increments from 26" to 34" high. Available in any of our standard epoxy colours or in a polished chrome finish (upcharge). Base spreads are 28" (30" to 36" square or round tops), 32" (38" to 42" square or round tops) and 36" (44" to 48" square or round top).



# Tables

TABLE CODE NUMBER FORMULA

SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #



## Pedestal Bases



### 2000 SERIES CAST IRON TABLE BASE

Cast Iron X base provides an economical but sturdy table base for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours or in a polished chrome finish at an upcharge.

BASE #	DESCRIPTION
2015	22" Spread for 24" to 30" Tops
2025	30" Spread for 32" to 40" Tops
2033	33" Spread for 42" to 48" Tops
2099	22" x 30" Offset Spread for Small Rectangular Tops



### 2100 SERIES CAST IRON TABLE BASE

Cast Iron X base with raised profile provides a sturdy table base for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours or in a polished chrome finish at an upcharge.

BASE #	DESCRIPTION
2115	22" Spread for 24" to 30" Tops
2125	30" Spread for 32" to 42" Tops



### 3000 SERIES CAST IRON TABLE BASE

Cast Iron round base with radiant profile provides a sturdy table base for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours at an upcharge.

BASE #	DESCRIPTION
3017	17" Spread for 24" to 30" Tops
3022	22" Spread for 32" to 40" Tops

TABLE CODE NUMBER FORMULA										
SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #

## Pedestal Bases



### 7000 SERIES CAST IRON TABLE BASE

Cast Iron round base with spoon profile provides a sturdy table base for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours at an upcharge.

BASE #	DESCRIPTION
7017	17" Spread for 24" to 30" Tops
7022	22" Spread for 32" to 40" Tops
7030	30" Spread for 42" to 48" Tops



### 4125 SERIES CAST IRON TABLE BASE

Cast Iron base provides a sturdy table base with decorative design for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours at an upcharge.

BASE #	DESCRIPTION
4122	22" Spread for 24" to 30" Tops
4125	25" Spread for 36" to 40" Tops



### 5104 CAST IRON TABLE BASE

Cast Iron base provides a sturdy table base with decorative design for tops of all sizes. Standard height is 28". Comes standard in black finish but is available in any of our standard epoxy colours at an upcharge.

BASE #	DESCRIPTION
5104	22" Spread for 24" to 36" Tops



Tables

TABLE CODE NUMBER FORMULA

SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #



## Pedestal Bases

# Tables



### PD4008 TABLE BASE

Solid Beechwood wood base. Standard height is 28". Available in any standard wood finish.

BASE #	DESCRIPTION
PD4008	27"x 27" Spread for 36" to 42" Tops



### PD4009 TABLE BASE

Solid Beechwood wood base. Standard height is 28". Available in any standard wood finish.

BASE #	DESCRIPTION
PD4009	27"x 27" Spread for 36" to 42" Tops



### PD4010 TABLE BASE

Solid Beechwood wood base. Standard height is 28". Available in any standard wood finish.

BASE #	DESCRIPTION
PD4010	32"x 32" Spread for 36" to 48" Tops

TABLE CODE NUMBER FORMULA										
SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #

## Four Leg Bases



### #500 ROUND METAL TABLE LEGS

The #500 round legs are a 2.5" diameter, 14g steel leg. All legs have adjustable glides on the bottom to help with levelling. Each leg has a flat metal mounting plate at the top of the leg to allow for easy mounting to any table top. Standard height is 28" but custom heights are available upon request. Choose from any of our standard epoxy coatings for the finishing on the legs. Legs are available with optional 3" adjustable height cup glides and also available with optional casters on all four legs or just two legs.



### #504 SERIES WOOD LEG BASES

Our four legged bases are made of solid hardwoods and finished in any of our standard wood finishes. Legs are securely fastened with a metal corner bracket to the base apron. Base aprons are available with a cut out to allow chair arms to access under the table. Standard height is 28" but custom heights are available upon request. Bases will accommodate square tops sizes 36"x36", 38"x38", 40"x40", 42"x42", 48"x48" and also 48" round. All legs have a height adjustable glide on the bottom for levelling the table.

TABLE CODE NUMBER FORMULA

SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #

Tables





## Specialty Tables

# Tables




### ADAPTIVE DINING TABLE

Our Adaptive Dining Table is an innovative product with custom settings for each of the 4 seat locations. Each location is height adjustable from 27" to 37". The base is made from rugged tubular steel coated with static polyester. Table tops are 1" laminate coated with rounded corners and edged in fungicidal (anti-mold) PVC. Table comes with one transport wheel on the end of one leg for easy transporting by tipping the table up slightly on to that wheel and rolling the table. Table is available with optional Revolving Centre Condiment Tray (as shown), Adjustable Slide Out Depth Adjustment on Sectional Trays and Weight Compensating Column Springs. Available in Walnut, Natural Maple, or Wild Cherry (Shown) laminate finishes.

ITEM #	DESCRIPTION
SPFTDC*4PA-SP	Adaptive Dining Table, 4-seat
SPFA2001*RCP	Weight Compensating Column Springs Option on all 4 columns
SPFA2001*SCE	Slide Out Depth Adjustment Option on 2 Table Sections
SPFA2014FR	Rotating Round Centre Condiment Tray Option

### FEEDING TABLES

Modular feeding table can be configured in many ways. Crescent tops can be used by themselves or additional rectangular pieces can be added to expand seating capacity around the table. Tops have PVC edge to prevent damage from wheelchairs bumping against them. Modular T bases are easily removed for storage. Bases and edges come in all standard edge and epoxy colours.



ITEM #	DESCRIPTION
SPFCRESCENTPV	FEEDING TABLE TOP, HALF CRESCENT 18"X48"
SPF1824PV	FEEDING TABLE TOP, RECTANGULAR 18"X24"
SPF1836PV	FEEDING TABLE TOP, RECTANGULAR 18"X36"
SPFMTBASE	FEEDING TABLE MODULAR T BASE WITH MOUNTING BRACKETS

## Specialty Tables



### FEEDING STOOLS

Our feeding stool includes a swivel mechanism featuring a 5.5" pneumatic seat-height adjustment and uses high-density, high resilience foam for added durability and comfort. A five prong heavy-duty nylon base ensures stability. Base, casters and trim come standard in black. Available with or without back. Optional locking casters are available.

ITEM #	DESCRIPTION
SFFNT1000	FEEDING STOOL, NO BACK
SFFNT1000-LC	FEEDING STOOL, NO BACK, LOCKING CASTERS
SFFNT1000WB	FEEDING STOOL, WITH BACK
SFFNT1000WB-LC	FEEDING STOOL, WITH BACK, LOCKING CASTERS



### 50 SERIES FOLDING LEG TABLE

Designed for rectangular tops, this standard folding leg table features metal legs in your choice of brown or black epoxy coatings. Tops are high pressure laminate in any of the laminate manufacturers standard laminates. Tops are available in 30"x60", 30"x72", 30"x84", 30"x96", 36"x60", 36"x72", 36"x84" and 36"x96" and with any of the standard edge details.

BASE #	DESCRIPTION
50	Folding Base for Rectangular tops



### 70 SERIES FOLDING LEG TABLE

Designed for square or round tops, this standard folding leg table features metal legs in your choice of brown or black epoxy coatings. Tops are high pressure laminate in any of the laminate manufacturers standard laminates. Tops are available in 30", 36", 38", 40", 42" round and 30"x30", 36"x36", 38"x38", 40"x40" square with any of the standard edge details.

BASE #	DESCRIPTION
70	Folding Base for Square or Round tops




# Tables

TABLE CODE NUMBER FORMULA										
SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #


Tables

## Top Shapes and Sizes



### SQUARE TOPS

Tops are 1 1/8" thick, 45lb particle board core with a high pressure laminate surface in any of the laminate manufacturer's standard laminates and a phenolic balance sheet on the underside. All corners are 1" radius (other radius sizes available if requested). Tops are available in 24"x24", 30"x30", 32"x32", 36"x36", 38"x38", 40"x40", 42"x42" and 48"x48" and with any of the standard edge details.




### ROUND TOPS

Tops are 1 1/8" thick, 45lb particle board core with a high pressure laminate surface in any of the laminate manufacturer's standard laminates and a phenolic balance sheet on the underside. Tops are available in 24", 30", 32", 36", 38", 40", 42" and 48" round and with any of the standard edge details.



### RECTANGULAR TOPS

Tops are 1 1/8" thick, 45lb particle board core with a high pressure laminate surface in any of the laminate manufacturer's standard laminates and a phenolic balance sheet on the underside. All corners are 1" radius (other radius sizes available if requested). Tops are available in 24"x30", 24"x36", 30"x36", 30"x42", 30"x48", 30"x60", 30"x72", 30"x84", 30"x96", 36"x48", 36"x60", 36"x72", 36"x84" and 36"x96" with any of the standard edge details.



### RADIUS SQUARE TOPS

Tops are 1 1/8" thick, 45lb particle board core with a high pressure laminate surface in any of the laminate manufacturer's standard laminates and a phenolic balance sheet on the underside. Tops are available in 36"x36"/42"x42", 38"x38"/44"x44" and 42"x42"/48"x48" sizes with any of the standard edge details. Use the larger of the two dimensions with "RS" at the end of it as the code number for the top. i.e...the 36" x 36" / 42" x 42" Radius Square top would be could "4242RS"

TABLE CODE NUMBER FORMULA

SPF	+	100	+	FT	+	4242	+	PV	=	SPF100FT4242PV
Prefix		Base #		Options		Top Size		Edge Type		Table Code #

## Top Edge Options



# Tables

### PVC EDGE (PV)

1 1/8" x 1/4" T-mold PVC edge provides a protective edging on any table. Available in any of the standard edge/base colours. Use "PV" as the code for this edge when creating your table code number.



### PVC BULLNOSE EDGE (PB)

1 1/8" x 3/4" T-mold PVC edge provides a protective edging on any table. Available in any of the standard edge/base colours. Use "PB" as the code for this edge when creating your table code number.



### WOOD BULLNOSE EDGE (WB)

Solid wood, bullnosed edge is 1"x1" in size and is available in solid oak or maple. Edge can be stained to match any wood finish. Use "WB" as the code for this edge when creating your table code number.



### POLY RESIN EDGE (PR)

Special formulated poly resin is poured into an edge mold as a liquid and then solidifies to become a solid, seamless one piece edge. Colour is solid all the way through the edge so any scratches can be sanded smooth with steel wool and shined back to the original beauty with Armour-all. Use "PR" as the code for this edge when creating your table code number.



### RAISED SPILL PROOF POLY RESIN EDGE (RS)

Same qualities as the poly resin edge above except built up on the edge to prevent any liquids that are spilled from rolling off the table. Use "RS" as the code for this edge when creating your table code number.



#### TABLE CODE NUMBER FORMULA

SPF + 100 + FT + 4242 + PV = SPF100FT4242PV  
 Prefix      Base #      Options      Top Size      Edge Type      Table Code #



## Top Laminate



A variety of High Pressure laminates from all the major manufacturer's are available for all table tops. Choose from pattern or wood grain laminates. Visit the laminate manufacturer's website to view all the standard laminates available to choose from. Special Games Laminate shown above is available for any table.

## Epoxy Base and Edge Colour Choices



### STANDARD EPOXY BASE & EDGE COLOUR CHOICES FOR TABLES



*Black*



*Brown*



*Burgundy*



*Dark Blue*



*Graphite Blue*



*Dark Green*



*Hunter Green*



*Sage Green*



*Mauve*



*Graphite*



*Light Beige*



*Beige*

**Note:** Actual colour may vary from picture shown due to printing limitations. Please request an actual colour sample chip if an exact sample is needed.

Tables

# Tables



## Base and Top Options



### FLIP TOP OPTION

The flip top option allows the top to be flipped up vertically in order to provide extra space for storing the table. This option is available on any of the 100 series of tables. Add "FT" after the base number in the table code number to add the Flip Top option on the table.



### SELF LEVELLING GLIDE OPTION

All tables come standard with a nylon, manually adjustable glide. The self levelling glide is available as an option on all the 100 and 500 series tables. This glide will automatically adjust to any unlevel surfaces without having to bend down and adjust the glide. Perfect for eliminating wobbly tables every time they are moved to a different location on the floor. Add "SL" after the base number in the table code number to add the Self Levelling Glide option on the table.



### CASTER OPTION

Castors can be added to any of the 100 or 500 series tables. Tables can have all four casters (4C) or two casters/two glides (CG) depending on your preference. Add "4C" or "CG" after the base number in the table code number to add the caster options on the table.



### CUSTOM INLAY TOPS

Tops can be customized to have inlay designs such as the games inlay shown. Custom laminate designs with inlay poly resin seams can also be done.



### DROP LEAF EXTENSION

This 10" x 20" drop leaf extension is available on the 42x42 or 48x48 square table tops as an option. The drop leaf flips out and locks in to place for residents in wheelchairs to have a table platform close to them and then neatly folds and tucks under the table when not in use. Two drop leaves per table mounted on opposite sides of the table so that the two other sides of the table can be used for normal seating.



TABLE CODE NUMBER FORMULA

<b>SPF</b>	+	<b>100</b>	+	<b>FT</b>	+	<b>4242</b>	+	<b>PV</b>	=	<b>SPF100FT4242PV</b>
Prefix		Base #		Options		Top Size		Edge Type		Table Code #

## Seating and Table Wood Finishes

---

### STANDARD\* WOOD STAIN CHOICES



*Warm Walnut*



*Spiced Cherry*



*Millwork Cherry*



*Oak*



*Natural Maple*

*Note:* Actual wood colour may vary from picture shown due to printing limitations. Please request an actual wood sample if an exact sample is needed.


\* Custom stain finishes are available for all wood pieces provided a sample is provided to match and also a minimum order level is met. Contact your sales representative for more details.



## Seating Specifications

# Specifications

### SEATING SPECIFICATIONS

- 1.0 Frame: All upholstered (non-exposed) frame lumber shall be sound grade dried (7%), mixed hardwood for strength and dimensional stability. All exposed wood shall be milled from kiln dried hardwood, premium grade selected free of visual and structural defects, beechwood or alternate hardwood.
- 2.0 Frame Assembly: All joints are mortise and tenoned, hydraulically assembled, then glued and pinned for extra strength. Corner blocks are fitted to leg and rail and attached with low root screws and glue. All exposed parts are machined round and are sanded to a smooth finish.
- 3.0  Standard Wood Finish Process: All exposed hardwood frames are finish with a catalyzed lacquer using special environmentally friendly, water based process and offers superior resistance to abrasives and chemicals commonly found in a healthcare/hospitality environment. This finish is highly resistant to hot/cold checking and successfully tested to temperature ranges between 120 deg. F to -5 deg. F.
- 4.0 Foam: Upholstery and cushion foam shall be high resiliency (HR) of varying density and flame/fire retardant. All foam, at a minimum, shall meet California Technical Bulletin 117 (TB-117) for flame and fire retardancy. Foam cushioning is selected for comfort and durability.
- 5.0 Inspection: The entire frame and upholstery shall be inspected during the Manufacturing process and again after final assembly. Tailoring shall be neat, trim and applied in a professional manner. All legs will be levelled on our automated levelling machine.

