

Montreal, July 25th, 2022

Letter of guarantee

On July 2, 2014, the Government of Canada repealed the pre-registration requirement for construction materials, packaging materials and non-food chemicals used in food processing. The Canadian Food Inspection Agency (CFIA) no longer issues letters of acceptance for gloves, aprons, sleeves, gowns and other PPE that come in direct contact with food. To learn more: <u>Guidance for Food Establishments Concerning Construction</u> <u>Materials and Packaging Materials and Non-Food Chemicals - Canadian Food Inspection</u> <u>Agency (canada.ca)</u>

MedSec, as a private label, guarantees with this letter that the products described below are safe and fit for use in food processing to curb contamination risk. They are also medical grade gloves licensed by Health Canada.

| Product | Brand | SKU | MDL |
|---|------------|---------------|--------|
| Powder-free Nitrile Medical Examination Gloves in Blue | Feel | 2019S, 2020M, | 105631 |
| | (3 mil) | 2021L,2022XL | |
| Powder-free Nitrile Medical Examination Gloves in Blue | Fit | 2323S,2324M, | 105631 |
| | (4 mil) | 2325L,2326L | |
| Powder-free Clear Vinyl Medical Examination Gloves | V-Touch | 2102S, 2103M, | 106051 |
| | (4 mil) | 2104L,2105XL | |
| Powder-free Synthetic Medical Examination Gloves in Blue | Syn-Touch | 3102S, 3103M, | 106080 |
| | (4 mil) | 3104L,3105XL | |
| Powder-free Synthetic Medical Examination Gloves in Black | Syn1-Touch | 3202S, 3203M, | 106080 |
| | (4 mil) | 3204L, 205XL | |
| Powder-free Nitrile Medical Examination Gloves in Blue | Feel+ | 3501S, 3502M, | 107101 |
| | (3 mil) | 3503L, 3504XL | |
| Powder-free Nitrile Medical Examination Gloves in Blue | Flex | 3401S, 3402M, | 107101 |
| | (4 mil) | 3403L, 3404XL | |

Best regards,

Liang Wan Président